



LEGEND

- EXISTING PROPERTY LINE
- ADJACENT PROPERTY LINE
- EXISTING EASEMENT LINE
- EXISTING WETLAND LINE AND DELINEATION
- EXISTING BUILDING OVERHANG
- EXISTING BUILDING LINE
- EXISTING PAVEMENT EDGE
- EXISTING CURB LINE
- EXISTING CONTOUR
- EXISTING INDEX CONTOUR
- EXISTING STONE WALL
- EXISTING RETAINING WALL
- EXISTING GUIDE RAIL
- EXISTING FENCE
- EXISTING STORM DRAIN LINE AND SIZE
- EXISTING SANITARY LINE AND SIZE
- EXISTING WATER LINE
- EXISTING GAS LINE
- EXISTING OVERHEAD WIRES
- EXISTING DRAIN INLET
- EXISTING MANHOLE
- EXISTING FIRE HYDRANT
- EXISTING GAS VALVE
- EXISTING WATER VALVE
- EXISTING UTILITY POLE
- EXISTING LIGHT POLE
- EXISTING SIGN
- PROPOSED BUILDING LINE
- PROPOSED CONCRETE CURB
- PROPOSED CONCRETE SIDEWALK
- PROPOSED DROP CURB AND RAMP
- PROPOSED SANITARY SEWER MANHOLE
- PROPOSED STORM DRAIN MANHOLE
- PROPOSED TYPE C DRAIN INLET
- PROPOSED TYPE D DRAIN INLET
- PROPOSED TRENCH DRAIN
- PROPOSED HEADWALL
- PROPOSED WATER QUALITY STRUCTURE
- PROPOSED OUTLET CONTROL STRUCTURE
- PROPOSED HYDRANT
- PROPOSED STORM DRAIN LINE & SIZE
- PROPOSED SANITARY SEWER LINE & SIZE
- PROPOSED WATER LINE & SIZE
- PROPOSED GAS LINE
- PROPOSED ELECTRIC/TELEPHONE/CABLE
- PROPOSED WATER VALVE
- PROPOSED GAS VALVE
- PROPOSED RETAINING WALL (DESIGN BY OTHERS)

- NOTES**
- EXISTING CONDITIONS DEPICTED ON THIS PLAN HAVE BEEN TAKEN FROM SURVEY TITLED, "TOPOGRAPHIC AND UTILITIES SURVEY OF PROPERTY," PREPARED BY JMC, PLAC. DATED 06/26/2021.
 - EXISTING WETLANDS WERE DELINEATED AND FLAGGED BY ECOLOGICAL SOLUTIONS, LLC ON JUNE 11, 2021 AND FIELD SURVEYED ON JUNE 28, 2021.
 - UNLESS OTHERWISE SPECIFIED, PIPE FOR STORM DRAINS SHALL BE HIGH DENSITY POLYETHYLENE PIPE (HDPE) WITH A SMOOTH INTERIOR AND ANNULAR EXTERIOR CORRUGATIONS IN ACCORDANCE WITH ASTM F-2648. JOINTS SHALL BE WATER-TIGHT IN ACCORDANCE WITH ASTM D-3201 AND D-3212.
 - UNLESS OTHERWISE SPECIFIED, PIPE FOR SANITARY SEWER GRAVITY LINES SHALL BE POLYVINYL CHLORIDE PIPE (PVC) SDR-35, WITH PUSH-ON JOINTS IN ACCORDANCE WITH ASTM D-3034 AND D-3212.
 - UNLESS OTHERWISE SPECIFIED, PIPE FOR WATER LINES SHALL BE POLYETHYLENE GLASS REINFORCED PIPE (PEGR) WITH PUSH-ON JOINTS IN ACCORDANCE WITH ASTM C-900.
 - ELECTRIC, TELEPHONE, FIRE ALARM AND CABLE TELEVISION LINES SHALL BE INSTALLED UNDERGROUND IN CONDUIT IN ACCORDANCE WITH THE REQUIREMENTS OF THE UTILITY COMPANY HAVING JURISDICTION.

HUDSON PARK GROUP LLC
100 BROOKFIELD ROAD
FLEETWOOD, NY 10552

MINNO WASKO
100 LAMBERTVILLE, NEW JERSEY 08530

JMC
JMC Planning, Engineering, Landscape Architecture & Land Surveying, PLLC
JMC Site Development Consultants, LLC
John Meyer Consulting, Inc.

1420 BEVERLY ROAD • AMENONK, NY 10554
PHONE: 518.333.2222 • FAX: 518.243.2102
www.jmccpllc.com

UTILITIES PLAN
RIVER KNOLL
40 LAMBERTVILLE, NEW JERSEY

ANY ALTERATION OF PLANS, SPECIFICATIONS, PLATS AND REPORTS BEARING THE SEAL OF A LICENSED PROFESSIONAL ENGINEER OR LICENSED LAND SURVEYOR IS A VIOLATION OF SECTION 7209 OF THE NEW YORK STATE EDUCATION LAW, EXCEPT AS PROVIDED FOR BY SECTION 7209, SUBSECTION 2.

Drawn: **JE** Approved: **AG**
Scale: **1" = 40'**
Date: **09/27/2021**
Project No: **15064**
Sheet: **UTL** of **UTL**

C-300