



IT IS A VIOLATION OF THE LAW FOR ANY PERSON
UNLESS ACTING UNDER THE DIRECTION OF A
LICENSED ARCHITECT, TO ALTER THIS DOCUMENT
IN ANY WAY IF THIS DOCUMENT BEARING THE
SEAL OF AN ARCHITECT IS ALTERED, THE ALTERING
ARCHITECT SHALL AFFIX HIS/HER SEAL AND THE
NOTATION "ALTERED BY:" FOLLOWED BY HIS/HER
SIGNATURE AND THE DATE OF SUCH ALTERATION,
AND A SPECIFIC DESCRIPTION OF THE ALTERATION.

9 OLD ALBANY POST ROAD
ROSSINING, NY

DATE	DESCRIPTION
1.29.20	AREA REDUCED



DATE:
NOV. 5, 2019
PROJECT NO.
10519
SCALE:
1" = 1'-0"
DRAWING NO.

A-8.0



SCALE 1/4" = 1'-0"

WINDOW SCHEDULE

ALL WINDOW UNITS AS MANUFACTURED BY
ANDERSEN WINDOW COMPANY 400 SERIES
WOOD INTERIOR/CLAD EXTERIOR - GRILLES AND
SCREENS

A1	3'-2 1/8" x 4'-8 7/8"	TW3046	DOUBLE HUNG	EGRESS WINDOW
A1-3	(3) 3'-2 1/8" x 4'-8 7/8"	TW3046	DOUBLE HUNG	MILLED TOGETHER
A2	2'-6 1/8" x 3'-4 7/8"	TW2432	DOUBLE HUNG	
A3	3'-0 1/8" x 3'-4 7/8"	TW21032	DOUBLE HUNG	
A4	2'-2 1/8" x 3'-4 7/8"	TW2032	DOUBLE HUNG	SAFETY GLASS
A5	2'-6 3/8" x 3'-4 3/8"	AW251	DOUBLE HUNG	SAFETY GLASS
A6	2'-4 3/8" x 2'-4 3/8"	AW251	AWNING	



SCALE 1/4" = 1'-0"

ELEC. LEGEND

- | | | | |
|---|--|---|--|
|  | CARBON MONOXIDE /SMOKE
C.O.
S.D.
DETECTOR |  | JUNCTION BOX
15 AMPS FOR
DISHWASHER |
|  | SMOKE DETECTOR
S.D. | 
J.B.
H.W.H. | ON DEMAND HOT
WATER HEATER
(UNDER CABINET)
30 AMP CIRCUIT
TO BE VERIFIED |
|  | NEW HALO RECESSED
CEILING LIGHT FIXTURE |  | WALL LIGHT SWITCH |
|  | NEW EXTERIOR WALL
LIGHT |  | THREE WAY WALL
LIGHT SWITCH |
|  | WALL MOUNTED
VANITY LIGHT
FIXTURE |  | LIGHT SWITCH W/
DIMMER |
|  | NEW DUPLEX WALL
OUTLET |  | EXHAUST FAN WITH LIGHT
NUTONE OR EQUAL 50 CFM 1/2
BATH
75 CFM FULL BATH
ALL EXHAUST DUCTWORK
MUST EXTEND TO EXTERIOR (6"
Ø MIN.) |
|  | NEW DUPLEX WALL
OUTLET W GROUND
FAULT INTERRUPT
GFI |  | STRIP LINE TO BE
MOUNTED UNDER
UPPER CABINETS |
|  | APPLIANCE OUTLET
DRYER - 208/240V
30 AMPS |  | NEW 200 AMP
SQUARE D BREAKER
PANEL
VERIFY INCOMING
SERVICE |

floor plans